



- NOTES:
1. MATERIAL: SEE TABLE
  2. FINISHES: SEE TABLE
  3. PRODUCT SPEC: PS-130299-001
  4. PACKAGING: PK-130299-001
  5. MATES WITH: MALE D-CODE CABLE ASSEMBLY
  6. ELECTRICAL SPECS:  
VOLTAGE: 250V AC/DC  
CURRENT: 4 AMPS
  7. PROTECTION: IP67
  8. ASSEMBLY IS RoHS COMPLIANT

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
8	1	INSULATOR O-RING	VITON	BROWN
7	1	PANEL O-RING	VITON	RED
6	1	MATING O-RING	VITON	RED
5	A/R	POTTING COMPOUND	EPOXY	BLACK
4	1	PANEL NUT	ZINC (DIE-CAST)	CHROME/DUPLEX NICKEL
3	4	CONTACT SOCKET	BRASS	GOLD PLATED
2	1	4/C D-CODE INSULATOR	PUR	BLACK
1	1	RECEPTACLE SHELL, M12	ZINC (DIE-CAST)	WHITE BRONZE PLATING

<b>POTTING WAS RED</b> EC NO: IPG2017-0514 DRWINBRZOWSKI 2016/11/21 CHKD: CHKD: APPR:APATEL 2016/12/05	QUALITY SYMBOLS
	$\nabla=0$ $\nabla=0$
	DESCRIPTION
	REV

GENERAL TOLERANCES (UNLESS SPECIFIED)	
mm	INCH
4 PLACES ± .005	± .005
3 PLACES ± .010	± .010
2 PLACES ± .013	± .010
1 PLACE ± .03	± .03
ANGULAR ± 2°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
IN/MM		3:1	INCH	
DRAWN BY	DATE	TITLE		
RSTONE	2010/05/17	MIC PCB RECEPTACLE 4C, D-CODE, STRAIGHT		
CHECKED BY	DATE	MOLEX INCORPORATED		
K. JOZWIK	2010/05/25	SD-130299-006		
APPROVED BY	DATE	SHEET NO.		
JFMURPHY	2010/05/20	1 OF 1		
MATERIAL NO.		DOCUMENT NO.		
SEE CHART		SD-130299-006		
SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			